IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



ŝ	Ŋ.	1	ń	b	ŧ	F	ŝ	ħ	ł	3			ì	ľ	1	ì	1	Ś	Ľ,	1	1	I	Ī	ž		ŝ.	5	ς	è	\$ ì	r	Ċ	1	1	ķ			ć,	Ĺ	ě	ð	ı
		*		**	**	***		***************************************		**		**	*	*																												
												8								Š	8		į,		80	м	60	ж.	33	м	۱	90	w	w	œ	ж	00	8			ı	

dards Conferences Careers/Jobs

1EEE Χρίοτe[®] Documents Users

Results

	^ <i>0/0/5</i>	United Stat	Welcome es Patent and Tradem	ark Office	t Million
elp <u>FAQ Terms IE</u>	EE Peer Review	Quick Links			» Search F
Cleogo to Less Anicas - Home - What Can I Access? - Log-out	Your searc A maximur Descendi i			a page, sorted by F	Relevance in
	You may re		/ editing the curre	nt search expression	n or entering a
O- Journals & Magazines O- Conference	\$	base <and>ontology<a o search within this</a </and>	**************************************	Search	
Proceedings — Standards	Results K JNL = Jou	ey: rnal or Magazine (CNF = Conference	STD = Standard	
Cases O- By Author O- Basic O- Advanced	Results: No docum	nents matched yo	ur query.		
Vonder & Strate & Str			·		

Print Format

h

O- Access the IEEE Member Digital Library

O- Access the

IEEE Enterprise **File Cabinet**

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | O Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to

Copyright © 2004 IEEE - All rights reserved

EEE HOME SEARCH	HEEE HISHOP HIWEB ACCOUNT I C	ONTACT IEEE	VIEEE
Membership Public	Ations/Services Standards Conferen	Weicome es Patent and Trademark Office	IEEE Xplore® 1 Million Documents 1 Million Users
<u>Help FAQ Terms IE</u> I	EE Peer Review Quick Links		» Search Results
Welcome to JEEE *********************************	Your search matched 0 of 106 A maximum of 500 results are Descending order.		orted by Relevance in
	Refine This Search: You may refine your search by	editing the current search	expression or entering a
O- Journals & Magazines O- Conference Proceedings	new one in the text box. knowledge base <and>ontological- Check to search within this</and>	<and>node Searce</and>	4
O- Standards	Results Key: JNL = Journal or Magazine C	NF = Conference STD =	Standard
Search O- By Author O- Basic O- Advanced	Results: No documents matched you	ır query.	
MonitoreSolvers Join IEEE Establish IEEE Web Account			
O- Access the IEEE Member Digital Library			
O- Access the			

Print Format

h

eee

IEEE Enterprise File Cabinet

e eee gecheche

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | O Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Sack to

Copyright © 2004 IEEE — All rights reserved

e ge b e c e

HEEE HOME | SEARCH HEEE | SHOP | WEB ACCOUNT | CONTACT HEEE



Mem	berst	rigs	Pishl	1525	ions/	Servi	6.45	Star
	•	***	***					

dards Conferences Careers/Jobs

Welcome United States Patent and Trademark Office



<u>Help FAQ Terms IEEE Peer Review</u>

Quick Links

» Search Results

	ĺ
	į
	į
_	
	Š
	ì
	į
	į
	į
	į
	Š
	į
	8
	1
	1
	į
	ŀ
	į
	8
	í
	į
	į
	í
	è

- O- Home
- O- What Can I Access?
- O-Log-out

Tables of Cortents

- O- Journals & Magazines
- O- Conference Proceedings
- Standards

Search

- O- By Author
- O- Basic
- C Advanced

Momber Services

- ()- Join IEEE
- O- Establish IEEE Web Account
- C Access the IEEE Member Digital Library

- O- Access the IEEE Enterprise File Cabinet
- Print Format

h

eee

Your search matched 41 of 1067317 documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

knowledge base<and>ontology

Search

Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

 $_{
m 1}$ Using AI in knowledge management: knowledge bases and ontologies

O'Leary, D.E.;

Intelligent Systems, IEEE [see also IEEE Expert] , Volume: 13 , Issue: 3 , May-June 1998

Pages:34 - 39

[Abstract] [PDF Full-Text (640 KB)] IEEE JNI

2 Gellish: an information representation language, knowledge base and ontology

van Renssen, A.;

Standardization and Innovation in Information Technology, 2003. The 3rd Conference on , 22-24 Oct. 2003

Pages:215 - 228

[Abstract] [PDF Full-Text (728 KB)] IEEE CNF

3 Using JessTab to integrate Protege and Jess

Eriksson, H.;

Intelligent Systems, IEEE [see also IEEE Expert] , Volume: 18 , Issue: 2 , March-April 2003

Pages:43 - 50

[Abstract] [PDF Full-Text (710 KB)] IEEE JNL

4 Different firms, different ontologies, and no one best ontology

O'Leary, D.E.;

Intelligent Systems, IEEE [see also IEEE Expert], Volume: 15, Issue: 5, Sep-Oct

2000

Pages: 72 - 78

e eee gecheche

e c e

e ec e

C

[Abstract] [PDF Full-Text (251 KB)] IEEE JNL

5 IShopping agent: a knowledge base assisting online shoppers through ontologies

Wen-Shan Lin; Cassaigne, N.;

Engineering Management Conference, 2003. IEMC '03. Managing Technologically Driven Organizations: The Human Side of Innovation and Change, 2-4 Nov. 2003 Pages: 524 - 528

[Abstract] [PDF Full-Text (392 KB)] IEEE CNF

6 Cognitive informatics: a knowledge engineering perspective

Chan, C.W.;

Cognitive Informatics, 2002. Proceedings. First IEEE International Conference on , 19-20 Aug. 2002

Pages: 49 - 56

[Abstract] [PDF Full-Text (400 KB)] IEEE CNF

7 Automatic ontology-based knowledge extraction from Web documents

Alani, H.; Sanghee Kim; Millard, D.E.; Weal, M.J.; Hall, W.; Lewis, P.H.; Shadbolt, N.R.;

Intelligent Systems, IEEE [see also IEEE Expert] , Volume: 18 , Issue: 1 , Jan.-Feb. 2003

Pages: 14 - 21

[Abstract] [PDF Full-Text (2527 KB)] IEEE JNL

8 DAML+OIL: an ontology language for the Semantic Web

Mcquinness, D.L.; Fikes, R.; Hendler, J.; Stein, L.A.;

Intelligent Systems, IEEE [see also IEEE Expert] , Volume: 17 , Issue: 5 , Sept.-Oct. 2002

Pages:72 - 80

[Abstract] [PDF Full-Text (341 KB)] IEEE JNL

9 RiboWeb: an ontology-based system for collaborative molecular biology

Altman, R.B.; Buda, M.; Chai, X.J.; Carillo, M.W.; Chen, R.O.; Abernethy, N.F.; Intelligent Systems, IEEE [see also IEEE Expert], Volume: 14, Issue: 5, Sept.-Oct. 1999

Pages: 68 - 76

[Abstract] [PDF Full-Text (796 KB)] IEEE JNL

10 Bottom-up construction of ontologies

van der Vet, P.E.; Mars, N.J.I.;

Knowledge and Data Engineering, IEEE Transactions on , Volume: 10 , Issue:

4 , July-Aug. 1998

Pages:513 - 526

[Abstract] [PDF Full-Text (404 KB)] IEEE JNL

е

11 Rapid development of large knowledge bases

Barbulescu, M.; Balan, G.; Boicu, M.; Tecuci, G.; Systems, Man and Cybernetics, 2003. IEEE International Conference on , Volume: 3, 5-8 Oct. 2003

Pages:2169 - 2174 vol.3

[Abstract] [PDF Full-Text (528 KB)] IEEE CNF

12 Using process data to populate ontologies

Venkataraman, P.; Mendonca, D.;

Systems, Man and Cybernetics, 2003. IEEE International Conference on , Volume: 3 , 5-8 Oct. 2003

Pages:2156 - 2161 vol.3

[Abstract] [PDF Full-Text (473 KB)] IEEE CNF

13 Using preference order in ontologies

Heymans, S.; Vermeir, D.;

Database and Expert Systems Applications, 2002. Proceedings. 13th International Workshop on , 2-6 Sept. 2002

Pages:85 - 89

[Abstract] [PDF Full-Text (329 KB)] IEEE CNF

$_{14}\,$ Structured Knowledge Source Integration and its applications to information fusion

Masters, J.;

Information Fusion, 2002. Proceedings of the Fifth International Conference

on , Volume: 2 , 8-11 July 2002

Pages:1340 - 1346 vol.2

[Abstract] [PDF Full-Text (510 KB)] IEEE CNF

15 An architecture for providing information anytime, anywhere and on any device-an ontological approach

Capraro, G.T.; Berdan, G.B.; Spina, J.; Liuzzi, R.A.; Berra, P.B.;

Information Fusion, 2002. Proceedings of the Fifth International Conference

on , Volume: 2 , 8-11 July 2002

Pages:1331 - 1339 vol.2

[Abstract] [PDF Full-Text (670 KB)] IEEE CNF

1 2 3 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | O Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to

Copyright © 2004 IEEE - All rights reserved

h



EEE HOME SEARCH	ieee Shop web account contact ieee	QIEEE
laas/	United States Patent and Trademark Office	I EEE Xplore [®] 1 Million Documents 1 Million Users
<u>delp FAQ Terms IEEE</u>	E Peer Review Quick Links	» Search Results
O- Home O- What Can I Access? O- Log-out	Your search matched 41 of 1067317 documents. A maximum of 500 results are displayed, 15 to a page, sorted Descending order.	by Relevance in
Tables of Contents	Refine This Search: You may refine your search by editing the current search expre	ession or entering a
O- Journals & Magazines	new one in the text box.	.
O- Conference Proceedings	knowledge base <and>ontology Check to search within this result set</and>	
O- Standards	Results Key:	
Search	JNL = Journal or Magazine CNF = Conference STD = Stand	lard
O- By Author O- Basic O- Advanced Mannage State O- Join IEEE	16 240,000 concepts and relations-towards mega knowle real-world applications Hahn, U.; Schulz, S.; Systems, Man and Cybernetics, 2002 IEEE International Confe 7, 6-9 Oct. 2002	-
C Establish IEEE Web Account	Pages:6 pp. vol.7 [Abstract] [PDF Full-Text (513 KB)] IEEE CNF	
O Access the IEEE Member Digital Library Access the IEEE Enterprise File Cabinet	17 Combining ontologies and document retrieval techniq for an e-learning scenario Baumann, S.; Dengel, A.; Junker, M.; Kieninger, T.; Database and Expert Systems Applications, 2002. Proceedings Workshop on, 2-6 Sept. 2002 Pages:133 - 137	•
Print Format	[Abstract] [PDF Full-Text (258 KB)] IEEE CNF	
	Specifying ontologies: linguistic aspects in problem-dengineering Urro, R.; Winiwarter, W.; Web Information Systems Engineering, 2001. Proceedings of the International Conference on , Volume: 2 , 3-6 Dec. 2001 Pages:159 - 166 vol.2	_
	[Abstract] [PDF Full-Text (807 KB)] IEEE CNF	

19 A hypertext based diagnostic system for aiding in the detection of vibration defaults of rotating machines

Paupe, C.-C.; Morizet-Mahoudeaux, P.; Kassel, G.;

h eee e eee g e ch e ch e e e e ge b e

С g

Systems, Man, and Cybernetics, 1999. IEEE SMC '99 Conference Proceedings. 1999 IEEE International Conference on , Volume: 5 , 12-15 Oct. 1999 Pages:804 - 809 vol.5

[Abstract] [PDF Full-Text (616 KB)] IEEE CNF

20 Extracting ontologies from legacy systems for understanding and reengineering

Hongji Yang; Zhan Cui; O'Brien, P.; Computer Software and Applications Conference, 1999. COMPSAC '99. Proceedings. The Twenty-Third Annual International, 27-29 Oct. 1999 Pages:21 - 26

[Abstract] [PDF Full-Text (468 KB)] IEEE CNF

21 Model-based visualization of temporal abstractions

Shahar, Y.; Cheng, C.;

Temporal Representation and Reasoning, 1998. Proceedings. Fifth International Workshop on , 16-17 May 1998 Pages:11 - 20

[Abstract] [PDF Full-Text (92 KB)] IEEE CNF

22 Integrating enterprise information models in Carnot

Huhns, M.N.; Jacobs, N.; Ksiezyk, T.; Wei-Min Shen; Singh, M.P.; Cannata, P.E.; Intelligent and Cooperative Information Systems, 1993., Proceedings of International Conference on , 12-14 May 1993
Pages:32 - 42

[Abstract] [PDF Full-Text (576 KB)] IEEE CNF

23 Naive semantics to support automated database design

Storey, V.C.; Goldstein, R.C.; Ullrich, H.; Knowledge and Data Engineering, IEEE Transactions on , Volume: 14 , Issue: 1 , Jan.-Feb. 2002 Pages:1 - 12

[Abstract] [PDF Full-Text (216 KB)] IEEE JNL

24 Enterprise knowledge management

O'Leary, D.E.;

Computer , Volume: 31 , Issue: 3 , March 1998

Pages:54 - 61

[Abstract] [PDF Full-Text (716 KB)] IEEE JNL

25 Two aspects of the validation and verification of knowledge-based systems

Bench-Capon, T.; Coenen, F.; Nwana, H.S.; Paton, R.; Shave, M.; Expert, IEEE [see also IEEE Intelligent Systems], Volume: 8, Issue: 3, June 1993

Pages: 76 - 81

[Abstract] [PDF Full-Text (568 KB)] IEEE JNL

26 HowNet - a hybrid language and knowledge resource

Zhendong Dong; Qiang Dong;

Natural Language Processing and Knowledge Engineering, 2003. Proceedings. 2003 International Conference on , 26-29 Oct. 2003

Pages:820 - 824

[Abstract] [PDF Full-Text (325 KB)] IEEE CNF

27 Linking ontologies: a communication case study

Yiching Wu; Meichun Liu;

Natural Language Processing and Knowledge Engineering, 2003. Proceedings. 2003

International Conference on , 26-29 Oct. 2003

Pages:807 - 813

[Abstract] [PDF Full-Text (410 KB)] IEEE CNF

28 Building on solid foundations: from conceptual semantics to intelligentsystems applications

Ruspini, E.H.;

Fuzzy Systems, 2003. FUZZ '03. The 12th IEEE International Conference

on , Volume: 1 , 25-28 May 2003

Pages:14 - 15 vol.1

[Abstract] [PDF Full-Text (203 KB)] IEEE CNF

29 An event-driven and ontology-based approach for the delivery and information extraction of e-mails

Heng-Hsou Chang; Yau-Hwang Ko; Jang-Pong Hsu;

Multimedia Software Engineering, 2000. Proceedings. International Symposium

on , 11-13 Dec. 2000

Pages:103 - 109

[Abstract] [PDF Full-Text (804 KB)] IEEE CNF

30 Open texture and ontologies in legal information systems

Bench-Capon, T.J.M.; Visser, P.R.S.;

Database and Expert Systems Applications, 1997. Proceedings., Eighth

International Workshop on , 1-2 Sept. 1997

Pages:192 - 197

[Abstract] [PDF Full-Text (528 KB)] IEEE CNF

Prev 1 2 3 Next

Herne | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Rasic Search | Advanced Search | Join IEEE | Web Account | New this week | Q Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to

Copyright © 2004 IEEE - All rights reserved

ieee home | Search ieee | Shop | Web account | Contact ieee



Men	bersh	ip P	ublications/	Services	Standard	s Conterence	es Career	M/Jobs
	***	400 A	X (0)	/0//		United States	Weicome Patent and	Trademark Offic
Help	FAQ	Terms	IEEE Peer	Review	Quick Li	nks		

IEEE Xplore® 1 Million Documents

» Search Results

t Million Users

020000000000	000000000000000000000000000000000000000	************	***************************************	***************************************	
<u>Help</u>	FAQ	Terms	IEEE Peer Review	Quick Links	
Yelen	nie lo	EEE Xpii	<i>M</i>	,	

×

- Journals & Magazines
- Conference **Proceedings**
- → Standards

			m	
Š				
0.7			13	ð
	ы			а
		èυ		

- O- By Author
- ()- Basic
- ► Advanced

Member Street

- Join IEEE
- Establish IEEE Web Account
- O Access the **IEEE Member** Digital Library

- ()- Access the IEEE Enterprise File Cabinet
- Print Format

Your search matched 41 of 1067317 documents.

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Search

knowledge base<and>ontology Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

31 An ontology for fault diagnosis in electrical networks

Bernaras, A.; Laresgoiti, I.; Bartolome, N.; Corera, J.; Intelligent Systems Applications to Power Systems, 1996. Proceedings, ISAP '96., International Conference on , 28 Jan.-2 Feb. 1996 Pages: 199 - 203

[Abstract] [PDF Full-Text (408 KB)] **IEEE CNF**

32 Rapid knowledge base design via extension of mid-level knowledge components

Bostwick, D.; Everett, J.; Hunter, D.; Jones, E.; Integration of Knowledge Intensive Multi-Agent Systems, 2003. International Conference on , 30 Sept.-4 Oct. 2003

Pages:535 - 541

[PDF Full-Text (556 KB)] [Abstract]

33 A metadata architecture for mediated integration of product usage data [diagnostic maturation analysis]

Wilmering, T.J.; Jun Yuan; VanRossum, D.;

AUTOTESTCON 2003. IEEE Systems Readiness Technology Conference.

Proceedings, 22-25 Sept. 2003

Pages: 564 - 575

[Abstract] [PDF Full-Text (865 KB)] TEEF CNE

34 Using an ontology to improve search in a terrorism database system Gruenwald, L.; McNutt, G.; Mercier, A.;

Database and Expert Systems Applications, 2003. Proceedings. 14th International Workshop on , 1-5 Sept. 2003

e ge b e e eee g e ch e ch e h e С eee g

Pages:753 - 757

[Abstract] [PDF Full-Text (305 KB)] IEEE CNF

35 The Dreaming Knowledge Base

Assogna, P.;

Database and Expert Systems Applications, 2002. Proceedings. 13th International Workshop on , 2-6 Sept. 2002

Pages:177 - 182

[Abstract] [PDF Full-Text (247 KB)] IEEE CNF

36 BINGO!: bookmark-induced gathering of information

Sizov, S.; Theobald, M.; Siersdorfer, S.; Weikum, G.;

Web Information Systems Engineering, 2002. WISE 2002. Proceedings of the Third International Conference on , 12-14 Dec. 2002

Pages:323 - 332

[Abstract] [PDF Full-Text (2333 KB)] IEEE CNF

37 A methodology for the computer-aided cleaning of complex knowledge databases

Alonso-Jimenez, J.A.; Borrego-Diaz, J.; Chavez-Gonzalez, A.M.; Gutierrez-Naranjo, M.A.; Navarro-Marin, J.D.;

IECON 02 [Industrial Electronics Society, IEEE 2002 28th Annual Conference of

the], Volume: 3, 5-8 Nov. 2002

Pages:1806 - 1811 vol.3

[Abstract] [PDF Full-Text (451 KB)] IEEE CNF

38 EER-CONCEPTOOL: a "reasonable" environment for schema and ontology sharing

Meisel, H.; Compatangelo, E.;

Tools with Artificial Intelligence, 2002. (ICTAI 2002). Proceedings. 14th IEEE International Conference on , 4-6 Nov. 2002

Pages:527 - 534

[Abstract] [PDF Full-Text (382 KB)] IEEE CNF

39 Ontology management in multi-agent system for knowledge logistics

Smirnov, A.; Pashkin, M.; Chilov, N.; Levashova, T.;

Info-tech and Info-net, 2001. Proceedings. ICII 2001 - Beijing. 2001 International Conferences on , Volume: 3 , 29 Oct.-1 Nov. 2001

Pages:231 - 236 vol.3

[Abstract] [PDF Full-Text (618 KB)] IEEE CNF

40 Graphical knowledge-based protocols for chest pain management

Ali, S.; Chia, P.; Ong, K.;

Computers in Cardiology 1999, 26-29 Sept. 1999

Pages:309 - 312

[Abstract] [PDF Full-Text (316 KB)] IEEE CNF

С

41 Ontologies and knowledge representation

Deloule, F.; Roche, C.; Systems, Man and Cybernetics, 1995. 'Intelligent Systems for the 21st Century'., IEEE International Conference on , Volume: 5 , 22-25 Oct. 1995 Pages:3857 - 3862 vol.5

[Abstract] [PDF Full-Text (612 KB)] IEEE CNF

Prev 1 2 3

Horne | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | O Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Eack to

Copyright © 2004 IEEE — All rights reserved

L	Hits	Search Text	DB	Time stamp
Number				
1	3	(("5,164,899") or ("5,371,807") or	USPAT;	2004/09/04
		("5,715,468")).PN.	US-PGPUB	21:47

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home Qu	iick [Adva	nced	Pat Num	Help
Bott		om)	View	Cart	

Searching 1976 to present...

Results of Search in 1976 to present db for: ((("knowledge Base" AND ontological) AND node) AND parse): 5 patents. Hits 1 through 5 out of 5


Jump To

"knowledge Base" and ontological and node and parse Refine Search

PAT. NO. Title

h

- 1 6,510,406 I Inverse inference engine for high performance web search
- 2 6,263,335 Information extraction system and method using concept-relation-concept (CRC) triples
- 3 6,154,213 T Immersive movement-based interaction with large complex information structures
- 4 6,076,088 T Information extraction system and method using concept relation concept (CRC) triples
- 5 5,794,050 Natural language understanding system





Subscribe (Full Service) Register (Limited Service, Free) Login

Search:

The ACM Digital Library C The Guide

US Patent & Trademark Office

"knowledge Base" and ontological and node and parse

HE ACM DIGITAL LIBRAR

Feedback Report a problem Satisfaction survey

Terms used knowledge Base and ontological and node and parse

Found 5,063 of 141,680

Sort results by

relevance

Save results to a Binder

Try an Advanced Search Try this search in The ACM Guide

Display expanded form results

Open results in a new window

Result page: **1** 2 3 4 5 6 7 8 9 10

Relevance scale 🔲 📟 📟

Results 1 - 20 of 200

Best 200 shown

Knowledge representation for commonsense reasoning with text Kathleen Dahlgren, Joyce McDowell, Edward P. Stabler

September 1989 Computational Linguistics, Volume 15 Issue 3

Full text available: pdf(2.52 MB) Publisher Site

Additional Information: full citation, references, citings

2 Knowledge I: Kind Types in knowledge representation

K. Dahlgren, J. McDowell

August 1986 Proceedings of the 11th coference on Computational linguistics

Full text available: ndf(692.37 KB) Additional Information: full citation, abstract, references, citings

This paper describes Kind Types (KT), a system which uses commonsense knowledge to reason about natural language text. KT encodes some of the knowledge underlying natural language understanding, including category distinctions and descriptions differentiating real-world objects, states and events. It embeds an ontology reflecting the ordinary person's top-level cognitive model of real-world distinctions and a database of prototype descriptions of real-world entities. KT is transportable, empiric ...

3 Hypermedia & TAL: Semantic Network Array Processor as a massively parallel computing platform for high performance and large-scale natural language processing Hiroaki Kitano, Dan Moldovan

August 1992 Proceedings of the 14th conference on Computational linguistics - Volume 2

Full text available: additional Information: full citation, abstract, references

This paper demonstrates the utility of the Semantic Network Array Processor (SNAP) as a massively parallel platform for high performance and large-scale natural language processing systems. SNAP is an experimental massively parallel machine which is dedicated to, but not limited to, the natural language processing using semantic networks. In designing the SNAP, we have investigated various natural language processing systems and theories to determine the scope of the hardware support and a set o ...

Special issue on word sense disambiguation: Introduction to the special issue on word sense disambiguation: the state of the art


cf g e

h

h

cf c

g e



Full text available: pdf(2.42 MB) Additional Information: full citation, abstract, references, citings

We describe a comprehensive treatment of the syntax and semantics of comparative constructions based on theoretical work by Pinkham, which can be implemented in a relatively straightforward fashion within a feature-based phrase-structure grammar. Comparatives are divided up into "clausal" and "phrasal" constructions; in contrast to most previous theories, however, phrasals are not regarded as reduced forms of clausals. We begin by defining a Montagovian semantics for phrasal comparatives that di ...

9 The view from the trenches: issues in the ontology of restricted domains David D. McDonald

October 2001 Proceedings of the international conference on Formal Ontology in **Information Systems - Volume 2001**

Full text available: pdf(1.34 MB)

Additional Information: full citation, abstract, references, index terms, review

We consider the impact of strict processing limitations on the design of an ontology for information extraction from newswire texts. We conclude that requiring online, real-time processing leads to a particular set of answers to fundamental issues of relation size and the choice of primary categories. We show how to satisfy these requirements by using relational categories directly during analysis and by using a reified lattice of their partial saturations that is annotated with the ling ...

Keywords: financial reports, information extraction, ontology design, type-raising

10 Natural language processing for information assurance and security: an overview and implementations

Mikhail J. Atallah, Craig J. McDonough, Victor Raskin, Sergei Nirenburg February 2001 Proceedings of the 2000 workshop on New security paradigms

Full text available: pdf(1.29 MB)

Additional Information: full citation, references, citings, index terms

11 Session E: Interaction in mixed realities: A gesture processing framework for multimodal interaction in virtual reality

Marc Erich Latoschik

November 2001 Proceedings of the 1st international conference on Computer graphics, virtual reality and visualisation

Full text available: pdf(559.17 KB) Additional Information: full citation, abstract, references, index terms

This article presents a gesture detection and analysis framework for modelling multimodal interactions. It is particulary designed for its use in Virtual Reality (VR) applications and contains an abstraction layer for different sensor hardware. Using the framework, gestures are described by their characteristic spatio-temporal features which are on the lowest level calculated by simple predefined detector modules or nodes. These nodes can be connected by a data routing mechanism to perfor ...

Keywords: 3D HCI, gesture and speech input, gesture processing, gestures, immersive conditions, interaction in virtual reality, multimodal, multimodal interface framework

12 An empirical assessment of semantic interpretation Martin Romacker, Udo Hahn

April 2000 Proceedings of the first conference on North American chapter of the **Association for Computational Linguistics**

Full text available: pdf(890.65 KB) Additional Information: full citation, abstract, references, citings

We introduce a framework for semantic interpretation in which dependency structures are mapped to conceptual representations based on a parsimonious set of interpretation schemata. Our focus is on the empirical evaluation of this approach to semantic interpretation, i.e., its quality in terms of recall and precision. Measurements are taken with respect to two real-world domains, viz. information technology test reports and medical finding reports.

13 Applications: Shalt2: a symmetric machine translation system with conceptual transfer Koichi Takeda, Tetsuya Nasukawa, Naohiko Uramoto, Taijiro Tsutsumi August 1992 Proceedings of the 14th conference on Computational linguistics - Volume Full text available: pdf(447.39 KB) Additional Information: full citation, abstract, references, citings

Shalt2 is a knowledge-based machine translation system with a symmetric architecture. The grammar rules, mapping rules between syntactic and conceptual (semantic) representations, and transfer rules for conceptual paraphrasing are all bi-directional knowledge sources used by both a parser and a generator.

14 An integrated model of semantic and conceptual interpretation from dependency <u>structures</u>

Udo Hahn, Martin Romacker

July 2000 Proceedings of the 17th conference on Computational linguistics - Volume 1

Full text available: pdf(750.00 KB) Additional Information: full citation, abstract, references

We propose a two-layered model for computing semantic and conceptual interpretations from dependency structures. Abstract interpretation schemata generate semantic interpretations of 'minimal' dependency subgraphs, while production rules whose specification is rooted in ontological categories derive a canonical conceptual interpretation from semantic interpretation structures. Configurational descriptions of dependency graphs increase the linguistic generality of interpretation schemata, while i ...

15 The FINITE STRING newsletter: Abstracts of current literature Computational Linguistics Staff January 1986 Computational Linguistics, Volume 12 Issue 1

Full text available: pdf(2.24 MB) Publisher Site

Additional Information: full citation

16 Industrial practice I: Jena: implementing the semantic web recommendations Jeremy J. Carroll, Ian Dickinson, Chris Dollin, Dave Reynolds, Andy Seaborne, Kevin Wilkinson May 2004 Proceedings of the 13th international World Wide Web conference on Alternate track papers & posters

Full text available: cdf(139.86 KB) Additional Information: full citation, abstract, references, index terms

The new Semantic Web recommendations for RDF, RDFS and OWL have, at their heart, the RDF graph. Jena2, a second-generation RDF toolkit, is similarly centered on the RDF graph. RDFS and OWL reasoning are seen as graph-to-graph transforms, producing graphs of virtual triples. Rich APIs are provided. The Model API includes support for other aspects of the RDF recommendations, such as containers and reification. The Ontology API includes support for RDFS and OWL, including advanced OWL Full support. ...

Keywords: Jena, OWL, RDF, RDQL, semantic web

17	Authoring Support: Designing annotation before it's needed Frank Nack, Wolfgang Putz	=
	October 2001 Proceedings of the ninth ACM international conference on Multimedia	
	Full text available: pdf(1.16 MB) Additional Information: full citation, abstract, references, citings, index lerms	
	This paper considers the automated and semi-automated annotation of audiovisual media in a new type of production framework, A4SM (Authoring System for Syntactic, Semantic and Semiotic Modelling). We present the architecture of the framework and outline the underlying XML-Schema based content description structures of A4SM. We then describe tools for a news and demonstrate how video material can be annotated in real time and how this information can not only be used for retrieval but also can be	
	Keywords : MPEG-7, XML Schema, automated annotation, news production, semantic networks	
18	From English to logic: context-free computation of "conventional" logical translation Lenhart K. Schubert, Francis Jeffry Pelletier January 1982 Computational Linguistics, Volume 8 Issue 1	900
	Full text available: pdf(1.74 MB) Additional Information: full citation, abstract, references, citings Publisher Site	
	We describe an approach to parsing and logical translation that was inspired by Gazdar's work on context-free grammar for English. Each grammar rule consists of a syntactic part that specifies an acceptable fragment of a parse tree, and a semantic part that specifies how the logical formulas corresponding to the constituents of the fragment are to be combined to yield the formula for the fragment. However, we have sought to reformulate Gazdar's semantic rules so as to obtain more or less 'conven	
19	Spatial hypertext: designing for change Catherine C. Marshall, Frank M. Shipman August 1995 Communications of the ACM, Volume 38 Issue 8	
	Full text available: pdf(609.49 KB) Additional Information: full citation, references, citings, index terms, review	
20	Session: A specification language for lexical functional grammars Patrick Blackburn, Claire Gardent March 1995 Proceedings of the seventh conference on European chapter of the Association for Computational Linguistics	
	Full text available: pdf(632.81 KB) Additional Information: full citation, abstract, references Publisher Site	
	This are all fines a language \ for anacifying LEC grammare. This anables constraints on	

This paper defines a language λ for specifying LFG grammars. This enables constraints on LFG's composite ontology (c-structures synchronised with f-structures) to be stated directly; no appeal to the LFG construction algorithm is needed. We use λ to specify schemata annotated rules and the LFG uniqueness, completeness and coherence principles. Broader issues raised by this work are noted and discussed.

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

"knowledge Base" and ontological and node and parse



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used <u>knowledge</u>

<u>Base</u> and <u>ontological</u> and <u>node</u> and <u>parse</u>

Found **5,063** of **141,680**

Sort results by Display

results

relevance

Save results to a Binder

Search Tips

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

expanded form

Open results in a new window

Results 21 - 40 of 200

Result page: <u>previous</u> <u>1</u> **2** <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Relevance scale

Best 200 shown

21 <u>Using text processing techniques to automatically enrich a domain ontology</u>
Paola Velardi, Paolo Fabriani, Michele Missikoff

October 2001 Proceedings of the international conference on Formal Ontology in Information Systems - Volume 2001

Full text available: pdf(2.16 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u>

Though the utility of domain Ontologies is now widely acknowledged in an increasing number of domains, several barriers must be overcome before Ontologies become practical and useful tools. A critical issue is the task of identifying, defining, and entering the concept definitions. In case of large and complex application domains this task can be lengthy, costly, and controversial (since different persons may have different points of view about the same concept). To reduce time, cost (an ...

22 EDGE - a graph based tool for specifying interaction

Michael F. Kleyn, Indranil Chakravarty

January 1988 Proceedings of the 1st annual ACM SIGGRAPH symposium on User Interface Software

Full text available: pdf(1.42 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

This paper describes a new methodology for specifying and constructing complex interaction dialogs for the design of user interfaces. The method is new in that it promotes a decomposition of the interaction in terms of events in AND/OR graphs called Event-Decomposition Graphs (EDG). These Event-Decomposition Graphs can be progressively refined to capture the detailed semantics of the dialog. Multithreaded interaction can be composed by joining several Event-Decomposition Graphs together in ...

23 HyperCafe: narrative and aesthetic properties of hypervideo

Nitin Sawhney, David Balcom, Ian Smith

March 1996 Proceedings of the the seventh ACM conference on Hypertext

Full text available: pdf(1.22 MB)

Additional Information: full citation, references, citings, index terms

Keywords: aesthetics, digital video, multi-threaded narratives, navigation, temporal links

h c g e cf e

e ge

е

gс

h

cf

24	Out the and a second consider the first part of
24	Syntax and semantics: Canonical representation in NLP system design: a critical evaluation
	Kent Wittenburg, Jim Barnett
	February 1988 Proceedings of the second conference on Applied natural language
	processing Full text available: pdf(673.61 KB)
	Additional Information: <u>full citation</u> , <u>abstract</u> , <u>references</u> , <u>citings</u>
	This paper is a critical evaluation of an approach to control in natural language processing systems which makes use of canonical structures as a way of collapsing multiple analyses in individual components. We give an overview here of how the Lucy natural language interface system currently realizes this control model and then evaluate what we take to be the strengths and weaknesses of such an approach. In particular, we conclude that the use of canonical structures can restrain combinatorial e
25	met*: a method for discriminating metonymy and metaphor by computer Dan Fass
	March 1991 Computational Linguistics, Volume 17 Issue 1
	Full text available: additional Information: full citation, abstract, references, citings Publisher Site
	The met* method distinguishes selected examples of metonymy from metaphor and from literalness and anomaly in short English sentences. In the met* method, literalness is distinguished because it satisfies contextual constraints that the nonliteral others all violate. Metonymy is discriminated from metaphor and anomaly in a way that [1] supports Lakoff and Johnson's (1980) view that in metonymy one entity stands for another whereas in metaphor one entity is viewed as another, [2] permits chains o
26	Special issue of the lexicon: The subworld concept lexicon and the lexicon
	management system
	Sergei Nirenburg, Victor Raskin July 1987 Computational Linguistics, Volume 13 Issue 3-4
	Full text available: pdf(1.22 MB) Additional Information: full citation, abstract, references, citings Publisher Site
	Natural language processing systems require three different types of lexicons: the concept lexicon that describes the (sub)world ontology and the analysis and generation lexicons for natural languages. We argue that the acquisition of the concept lexicon must precede any lexical work on natural language and that a comprehensive lexicon management system (LMS) is necessary for lexicon acquisition in large-scale applications. We describe the interactive concept lexicon acquisition module of the LM
27	Session: Term extraction + term clustering: an integrated platform for computer-aided
	terminology Didier Bourigault, Christian Jacquemin June 1999 Proceedings of the ninth conference on European chapter of the Association for Computational Linguistics Full text available: pdf(749.27 KB)
	Additional Information: <u>full citation</u> , <u>abstract</u> , <u>references</u> , <u>citings</u>
	A novel technique for automatic thesaurus construction is proposed. It is based on the complementary use of two tools: (1) a Term Extraction tool that acquires term candidates from tagged corpora through a shallow grammar of noun phrases, and (2) a Term Clustering tool that groups syntactic variants (insertions). Experiments performed on corpora in three technical domains yield clusters of term candidates with precision rates

e ge

e

g c

between 93% and 98%.

28 Building knowledge base management systems

John Mylopoulos, Vinay Chaudhri, Dimitris Plexousakis, Adel Shrufi, Thodoros Topologlou December 1996 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 5 Issue 4

Full text available: pdf(403.22 KB) Additional Information: full citation, abstract, index terms

Advanced applications in fields such as CAD, software engineering, real-time process control, corporate repositories and digital libraries require the construction, efficient access and management of large, shared knowledge bases. Such knowledge bases cannot be built using existing tools such as expert system shells, because these do not scale up, nor can they be built in terms of existing database technology, because such technology does not support the rich representational structure and infer ...

Keywords: Concurrency control, Constraint enforcement, Knowledge base management systems, Rule management, Storage management

29 A query based approach for integrating heterogeneous data sources

Ruxandra Domenia, Klaus R. Dittrich

cf

g e

h

November 2000 Proceedings of the ninth international conference on Information and knowledge management

Full text available: pdf(213.15 KB) Additional Information: full citation, references, index terms

30 <u>Bioinformatics (BIO): An architecture for biological information extraction and</u> representation

Aditya Vailaya, Peter Bluvas, Robert Kincaid, Allan Kuchinsky, Michael Creech, Annette Adler March 2004 Proceedings of the 2004 ACM symposium on Applied computing

Full text available: pdf(355.71 KB) Additional Information: full citation, abstract, references

Technological advances in biomedical research are generating a plethora of heterogeneous data at a high rate. There is a critical need for extraction, integration and management tools for information discovery and synthesis from these heterogeneous data. In this paper, we present a general architecture, called ALFA, for information extraction and representation from diverse biological data. The ALFA architecture consists of: (i) a networked, hierarchical object model for representing information ...

Keywords: bioinformatics, filtering, heterogeneous data, information representation, information retrieval, interactive text mining, software architecture, user-guided information extraction

31 <u>Document reuse and semantics: Towards a semantics for XML markup</u> Allen Renear, David Dubin, C. M. Sperberg-McQueen November 2002 **Proceedings of the 2002 ACM symposium on Document engineering**

e ge

Full text available: pdf(72.89 KB)

Additional Information: full citation, abstract, references, citings, index terms

Although XML Document Type Definitions provide a mechanism for specifying, in machine-readable form, the syntax of an XML markup language, there is no comparable mechanism for specifying the *semantics* of an XML vocabulary. That is, there is no way to characterize the meaning of XML markup so that the facts and relationships represented by the occurrence of XML constructs can be explicitly, comprehensively, and mechanically

e

g c

Page 4 o

identified. This has serious practical and theoretical consequence ...

Keywords: SGML, XML, knowledge representation, markup, semantics

32 Record-boundary discovery in Web documents

D. W. Embley, Y. Jiang, Y.-K. Ng

June 1999 ACM SIGMOD Record, Proceedings of the 1999 ACM SIGMOD international conference on Management of data, Volume 28 Issue 2

Full text available: pdf(1.36 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

Extraction of information from unstructured or semistructured Web documents often requires a recognition and delimitation of records. (By "record" we mean a group of information relevant to some entity.) Without first chunking documents that contain multiple records according to record boundaries, extraction of record information will not likely succeed. In this paper we describe a heuristic approach to discovering record boundaries in Web documents. In our approach, we capture ...

33 <u>Dependency Analyzer: a knowledge-based approach to structural disambiguation</u> Katashi Nagao

August 1990 Proceedings of the 13th conference on Computational linguistics - Volume 2

Full text available: pdf(542.06 KB) Additional Information: full citation, abstract, references, citings

To resolve structural ambiguities in syntactic analysis of natural language, which are caused by prepositional phrase attachment, relative clause attachment, and so on, we developed an experimental system called the *Dependency Analyzer*. The system uses instances of dependency structures extracted from a terminology dictionary as a knowledge base. Structural (attachment) ambiguity is represented by showing that a word has several words as candidate modifiees. The system resolves such ambig ...

34 <u>Automating review of forms for international trade transactions: a natural language</u> processing approach

V. Dhar, P. Ranganathan

December 1986 ACM SIGOIS Bulletin , Proceedings of the third ACM-SIGOIS conference on Office automation systems, Volume 7 Issue 2-3

Full text available: pdf(871.03 KB) Additional Information: full citation, abstract, references, index terms

A major challenge in Office Automation is one of automating routine jobs that involve large-scale processing of ill-formed natural language data. Such data are often present in documents such as forms where it is necessary and/or practical to allow latitude in how the forms may be filled. In this paper, we describe a computational model designed to process free-form textual data in application forms for Letters of Credit (LC), which represent a common vehicle for initiating international tr ...

35 Papers: Symbolic word clustering for medium-size corpora

Benoît Habert, Elie Naulleau, Adeline Nazarenko

August 1996 Proceedings of the 16th conference on Computational linguistics - Volume

Full text available: pdf(460.55 KB) Additional Information: full citation, abstract, references

When trying to identify essential concepts and relationships in a medium-size corpus, it is not always possible to rely on statistical methods, as the frequencies are too low. We present an alternative method, symbolic, based on the simplification of parse trees. We discuss the results on nominal phrases of two technical corpora, analyzed by two different robust parsers used for terminology updating in an industrial company. We compare our

c ge cf e

h

e ge

е

g c

results with Hindle's scores of similarity.

36 A computational treatment of lexical rules in HPSG as covariation in lexical entries W. Detmar Meurers, Guido Minnen December 1997 Computational Linguistics, Volume 23 Issue 4						
Full text available: additional Information: full citation, abstract, references, citings Publisher Site						
This paper proposes a new computational treatment of lexical rules as used in the <i>HPSG</i> framework. A complier is described which translates a set of lexical rules and their interaction into a definite clause encoding, which is called by the base lexical entries in the lexicon. This way, the disjunctive possibilities arising from lexical rule application are encoded as systematic covariation in the specification of lexical entries. The compiler ensures the automatic transfer of properties n						
37 <u>Issues in relating syntax and semantics</u> Daniel Jurafsky						
August 1988 Proceedings of the 12th conference on Computational linguistics - Volume 1						
Full text available: pdf(682.80 KB) Additional Information: full citation, references, citings						
38 Conceptual analysis of lexical taxonomies: the case of WordNet top-level	beeree					
Aldo Gangemi, Nicola Guarino, Alessandro Oltramari October 2001 Proceedings of the international conference on Formal Ontology in Information Systems - Volume 2001						
Full text available: pdf(1.27 MB) Additional Information: full citation, abstract, references, citings, index terms, review						
In this paper we propose an analysis and an upgrade of WordNet's top-level synset taxonomy. We briefly review WordNet and identify its main semantic limitations. Some principles from a forthcoming <i>OntoClean</i> methodology are applied to the ontological analysis of WordNet. A revised top-level taxonomy is proposed, which is meant to be more conceptually rigorous, cognitively transparent, and efficiently exploitable in several applications.						
Keywords: WordNet, ontology, taxonomies, top-level						
39 Intelligent web information access: An intelligent search agent system for semantic information retrieval on the internet Carmine Cesarano, Antonio d'Acierno, Antonio Picariello November 2003 Proceedings of the fifth ACM international workshop on Web						
information and data management Full text available: pdf(332.66 KB) Additional Information: full citation, abstract, references, index terms						
In this paper we describe a prototype system for information retrieval on the Internet. Our idea is that the Web has to be searched both semantically and syntactically. In order to automatically categorize the web pages on the fly we propose a novel approach based on ontology and semantic networks and we describe a prototype system based on the Intelligent Agent Paradigm. Preliminary experiments are shown and discussed while describing open problems and on-going research.						
Keywords: information retrieval, ontology, semantic network, web agents						

40 Floating constraints in lexical choice Michael Elhadad, Jacques Robin, Kathleen McKeown June 1997 Computational Linguistics, Volume 23 Issue 2

Full text available: pdf(3.13 MB) Additional Information: full citation, abstract, references, citings

Lexical choice is a computationally complex task, requiring a generation system to consider a potentially large number of mappings between concepts and words. Constraints that aid in determining which word is best come from a wide variety of sources, including syntax, semantics, pragmatics, the lexicon, and the underlying domain. Furthermore, in some situations, different constraints come into play early on, while in others, they apply much later. This makes it difficult to determine a systemati ...

Results 21 - 40 of 200

Result page: previous 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Mundows Media Player

h

e